



HD-2XE

The compact, economical HD-2XE (10,000+ gauss) automatic degausser is for those who need to permanently erase data from hard drives or tapes, but don't need a high-volume degausser.

Ideal in office settings, this quiet operation desk top degausser erases high coercivity (magnetic) hard drives up to 1.25 inches high, as well as the full range of tape cartridge media, without the need for adapters.

Easy to use, simply place the media in the drawer. Closing the drawer automatically starts the degauss cycle. All data is completely erased in less than 60 seconds.

Combine the HD-2XE degausser with Garner's exclusive IRONCLAD™ Erasure Verification and JPG Image Capture System for complete, permanent, and verifiable data elimination. Only Garner offers complete hard drive erasure with JPG images of degaussed hard drives, providing the best audit trail and proof-of-erasure reports available.

Secure and Compliant

The HD-2XE will help you meet government and industry standards requiring complete erasure of sensitive data prior to disposal, including:

- **California Senate Bill 1386**
- **CE**
- **DOD** Up to Secret Classification
- **FCC**
- **GDPR** (General Data Protection Regulation)
- **GLBA** (Gramm-Leach-Bliley Act)
- **HIPAA** (Health Information Portability and Accountability Act)
- **NIST** (National Institute of Standards and Technology) Guidelines for Media Sanitization
- **NIST SP 800-36**
- **NIST SP 800-88r1**
- **PCI DSS 3.2** (Payment Card Industry Data Security Standard)
- **PIPEDA** (Personal Information Protection & Electronic Documents Act)

HD-2XE Economical Degausser

- Generates 10,000+ gauss (1 Tesla) magnetic field for complete erasure of hard drives and tape
- Erases up to 480 (1.8 in.); 360 (2.5 in.); and 60 (3.5 in.) hard drives per hour
- Erases working and non-working hard drives
- Closing the drawer automatically starts the degauss cycle
- Built-in field verification system and on board diagnostics confirm the magnetic field strength of every erase cycle, ensuring complete erasure
- LCD display provides bar graph with numerical value to verify erasure
- Office quiet 60-second erase cycle
- Requires no cool down between cycles
- CE/ANSI certified
- Small footprint, fits on a desktop
- Lightweight (34 lbs.)
- Enhance portability with wheeled transport case

HD-2XE Versatility



Hard drives

Backup tapes

Up to six laptop hard drives at a time



Valuable Data Demands **IRONCLAD** Proof-of-Erasure

Garner's exclusive IRONCLAD system acts as a digital witness verifying erasure, capturing JPG images of the erased media, and generating proof-of-erasure reports. IRONCLAD provides audit-worthy documentation of the data elimination process.

SERIAL	IMAGE	USER	WITNESS	ERASED	CRUSH DEPTH
3R4A145-0A	Accept	NMS	JM	Erasd	24 mm
29ACB018CUC028	Accept	NMS	JM	Erasd	24 mm
3R4A141-0A	Accept	NMS	JM	Erasd	24 mm
29ACB018CUC028	Accept	NMS	JM	Erasd	24 mm
3K5058-147	Accept	NMS	JM	Erasd	24 mm
3R4A143-0A	Accept	NMS	JM	Erasd	24 mm
3K74C30Z	Accept	NMS	JM	Erasd	24 mm
HPB4	Accept	NMS	JM	Erasd	24 mm
3P4C2C2	Accept	NMS	JM	Erasd	24 mm
3R4A141-0A	Accept	NMS	JM	Erasd	24 mm
29ACB018CUC028	Accept	NMS	JM	Erasd	24 mm
3R4A143-0A	Accept	NMS	JM	Erasd	24 mm
3K50517-001	Accept	NMS	JM	Erasd	24 mm
HPB4	Accept	NMS	JM	Erasd	24 mm
8-01-C756-S	Accept	NMS	JM	Erasd	24 mm

List view of erasure status



Proof of erasure and destruction image

Why **IRONCLAD**

- Fully integrates with Garner's HD-2XE degausser
- Captures and records images of degaussed hard drives
- Scans serial numbers of degaussed hard drives
- Tracks and documents the date, time, operator ID, and witness ID
- Verifies and records the erasure status of each hard drive
- Generates IRONCLAD erasure report with JPG images for audit purposes
- Provides proof data is completely eliminated

HD-2XE IRONCLAD Includes:

- Garner's high-quality, economical HD-2XE compact degausser
- IRONCLAD erasure report generating software
- Automated image capture system
- Touch screen control head
- Bar-code scanner and stand
- IRONCLAD software support for one year

Complete Media Sanitization



Add the PD-5SSDE which is now IRONCLAD compatible, to generate a complete degauss and destroy proof-of-erasure and destruction report.

HD-2XE Packages

Custom-configured packages allow you to select the destruction products to meet your organization's security needs and budget.



*Degauss Destroy Package
DD-25SSDE IRONCLAD*



*Complete Degauss Destroy Recycle
Workstation DDR-25SSDE
IRONCLAD*

Optional accessories:



SCAN-1XE

Add the SCAN-1XE scanner and software package to create an audit-worthy media destruction report as you degauss.



Recycle Bin

Large blue recycle bin makes it easy to store media that has been destroyed and ready to be recycled.



CASE-HD2E

Our MIL-SPEC transport CASE-HD2E lets you take the HD-2XE to the media.



Media Bins

Color-coded media bins make it easy to store media for destruction and deposit media after degaussing is complete.

SPECIFICATIONS	
Part Number	HD-2XE, HD-2XE IRONCLAD
Magnetic Field	1 Tesla (10,000 gauss) nominal
Certifications/Listings	HD-2XE: CE • ANSI • FCC
Throughput (hard drives per hour)	Erases up to 480 (1.8 in.) Erases up to 360 (2.5 in.) Erases up to 60 (3.5 in.)
Throughput (with IRONCLAD)	Erases up to 45 hard drives per hour
Degausser System	Capacitive Discharge
Duty Cycle	Continuous
Drawer Capacity (HxWxD)	1.25 x 4.3 x 5.9 (in.) 31.8 x 108 x 148.6 (mm)
Power Supply	HD-2XE: 100~240VAC ±5%, 50/60 Hz IRONCLAD: 90~240VAC, 47-440 Hz
Power Consumption	HD-2XE: During standby: 24W During charge: 156W (avg) At the time of erase: 60W IRONCLAD: 15W

SPECIFICATIONS	
Media Coercivity	Hard drives: 5,000 Oe Longitudinal and perpendicular Tape media: 3,000 Oe all tape formats
Overall dimensions (HxWxD)	HD-2XE: 6 x 17.8 x 13.3 (in.) 151.1 x 450.9 x 337.8 (mm) HD-2XE IRONCLAD: 10.2 x 17.75 x 18.2 (in.) 260 x 451 x 463 (mm) control head: 6.6 x 9.6 x 2.5 (in.) 168 x 244 x 64 (mm)
Weight	HD-2XE 34 lbs (15.5 kg) HD-2XE IRONCLAD: 40 lbs (18.1kg) control head: 4 lbs (1.8 kg)*non-shipping weight
Temperature	41°F - 104°F (5°C - 40°C)
Humidity	10%H - 40%H without condensation
Warranty	One-year manufacturer's limited warranty standard
Made in U.S.A	By Garner Products, Inc.